

Instructions



Bellevue AJ9 Arne Jacobsen 1929

Congratulations on your new Bellevue lamp designed in 1929 by Arne Jacobsen. We hope you will enjoy using this product and follow these instructions to ensure correct installation. If you have any questions or comments, please do not hesitate to contact us by mail on:


info@andtradition.com

Bellevue AJ9

Arne Jacobsen

1929

Please read these instructions carefully and retain them for future reference to ensure that the product is used correctly. For your own safety, please study each step of this instruction manual first. &Tradition is not responsible for any faults or damages caused by not following these instructions correctly. Do not modify this product in any way.



Content

- A Wall lamp fitted with 2 meter cord
- B 2 x screws (for mounting the lamp to the wall bracket)
- C Wall bracket

Tools needed

- Bulb type E14
- Screwdriver
- Screws and plugs appropriate for wall


Safety precautions

- Dispose of plastic bag from packaging and do not allow children to play with it.
- The lamp is only intended for interior use.
- Lamp shade gets hot after prolonged use.
- If the external cable or cord of this lamp is damaged, it must be replaced by the manufacture or a similar qualified person in order to avoid a hazard.

Cleaning instructions


- The Bellevue lamp is made from solid brass and lacquered aluminum. The brass used is uncoated and will therefore develop a unique and beautiful patina over time.
- Wipe surface of lamp shade with a soft, damp sponge or cloth, and wipe immediately after with a dry cloth.
- Do not use any abrasive cleaning tools such as steel wool, scouring sponges or stiff brushes.
- Never use strong cleaning agents such as white spirit, turpentine household glass cleaner or cellulose thinners.
- Only wipe the inside of the shade with a soft, damp cloth or feather duster.

For indoor use only
E14 maximum 25W
Bulb not included




Step 1

Ensure the power cord can be connected so it is not over-stretched or an obstacle. Place the wall bracket (C) on top of a spirit level in the desired location for the lamp. Ensure the mount is level and mark the placement of the holes with a pencil.




Step 2

Drill the holes for the bracket and use the correct type of screw and plug for the type of wall which the lamp is to be fitted to. Tighten the screws and ensure the bracket is safely fixed in place.




Step 3

Place the lamp (A) over the wall bracket. Align the screw holes of the lamp with the bracket and tighten the screws (B) with a Hex/Allen key.




Step 4

Instal the light bulb.



Step 5

Insert the plug into a wall socket and use the switch on the base to turn the lamp on and off.



Step 6

Use the flexible swan-neck to set the shade at a desired angle. It is best to set the angle before turning the lamp on as the shade gets hot when the lamp is in use for longer periods of time

&Tradition®