
### ASSEMBLY INSTRUCTIONS

# VP GLOBE

# Design by VERNER PANTON

Please read thoroughly before assembly


VERPAN



#### **RECOMMENDATION:**

1


DO NOT REMOVE THE PROTECTIVE PADS FROM THE ACRYLIC SHELL PRIOR TO MOUNTING THE LAMP TO THE CEILING.



#### HANG THE TOP PART OF THE LAMP FROM THE CEILING

THE LAMP MUST HANG FROM THE BLACK HANGING WIRE, NOT THE ELECTRIC WIRE!

THERE MUST BE NO WEIGHT ON THE ELECTRIC WIRES!




#### ADD THE BULB BEFORE THE BOTTOM SHELL

TO PREVENT FINGERPRINTS AND SCRATCHES, PLEASE USE THE ENCLOSED GLOVES.

**RECOMMENDED BULBS:** 


VP GLOBE Ø40 CM: E14, MAX. 60W VP GLOBE Ø50 CM: E27, MAX. 60W



#### FASTEN THE BOTTOM SHELL

DUE TO THE NATURE OF THE ACRYLIC MATERIAL, THE SHAPE OF THE TOP AND BOTTOM SHELLS CAN DEVIATE SLIGHTLY FROM A PERFECT CIRCLE.

THIS IS NORMAL, AND THE SHELLS HAVE BEEN PAIRED TO MATCH. WHEN ASSEMBLING, SIMPLY ROTATE THE BOTTOM ACRYLIC SHELL TO FIND THE BEST POSITION.



#### HOW TO CLEAN:

Clean with a soft cloth, warm water and a mild detergent. Do NOT use any abrasive materials.

#### IMPORTANT

IF THE EXTERNAL FLEXIBLE CABLE OR CORD OF THIS LUMINAIRE IS DAMAGED, IT SHALL BE EXCLUSIVELY REPLACED BY THE MANUFACTURER OR HIS SERVICE AGENT OR A SIMILAR QUALIFIED PERSON IN ORDER TO AVOID A HAZARD.

#### CLEANING KIT FOR VP GLOBE:

YOU CAN ALSO PURCHASE A CLEANING KIT DEVELOPED ESPECIALLY FOR THE VP GLOBE AND PANTO PENDANTS. PLEASE CONTACT THE SHOP WHERE YOU PURCHASED YOUR PENDANT FOR FURTHER DETAILS.

## DESIGNED IN THE PAST MADE FOR TOMORROW

VERPAN ApS

Egeskovvej 29 8700 Horsens Denmark

www.verpan.com

info@verpan.com

EU MOUNTING - English text