



AMBIT PENDANT LAMP - EU VERSION

TAF STUDIO ON THE DESIGN "What defines our attraction to shapes? With the Ambit Pendant Lamp, we wanted to explore form and proportions in a thorough and meticulous way. We discovered a unique dynamic between linear and rounded shapes that gives the lamp its unique outline, making the Ambit Pendant Lamp a timeless design that you'll never grow tired of while its handspun aluminum material and contrasting white inner makes for an elegant touch."



Ø 25 cm



Ø 40 cm

CEILING CAP



Ø 9 cm / 3.5"

Ø40 & Ø25



DESIGNED BY / YEAR OF DESIGN

TAF Studio / 2015

ABOUT THE DESIGNER

TAF Studio is a Stockholm-based design and architecture studio making international head-lines within product and interior design.

CATEGORY

Pendant lamp

ENVIRONMENT

Indoor

DESCRIPTION

Embodying the values of Scandinavian design, the Ambit Pendant Lamp is as timeless as it is contemporary. Made of hand-spun aluminum that has been hand-painted, the Ambit Pendant Lamp has a white interior to heighten contrasts of its outside shade and enhance the light omitted.

PRODUCTION PROCESS

Made from old brazier traditions, the lamp shade is press spun by hand. Hereafter, the lamp shade is polished and painted by hand.

MATERIAL

Aluminum lamp shade and rubber cord.

CORD LENGTH

400 cm / I57.5"

BULB INCLUDED

Ø40: No Ø25: No Ø16,5: Yes

CEILING CAP INCLUDED


Yes - White

DIMMABLE FUNCTION

Νo

CLEANING AND CARE

Clean the lamp with a soft dry cloth. Always switch off the electricity before cleaning.





AMBIT PENDANT LAMP - EU VERSION
















LAMP RATING Ø40

Voltage 220-240V 50/60Hz Frequency IP Rating IP2O Classification Class II Socket 1 x E27

Max. 6OW; incandescent lamp; type G

Max. I3W; self-ballasted Max. 18W; self-ballasted LED bulb

LAMP RATING Ø25

220-240V Voltage Lamp base E14 50/60Hz Ø45 X 85 mm Frequency Dimensions

IP Rating IP2O Classification Class II Socket I x EI4

> Max. 60W; incandescent lamp; Type G Max. I3W; self-ballasted; Type G Max. IIW; self-ballasted LED bulb; Type G

LAMP RATING Ø16.5

Voltage 220-240V Frequency 50/60Hz IP Rationg IP9O Classification Class II Socket 1 x GX53 Max. I2W LED

BULB RECOMMENDATION Ø16.5

BULB RECOMMENDATION Ø40

BULB RECOMMENDATION Ø25

Light source shape P45

Max wattage

Light source type

Light source shape A6O

E27

Ø60 X IIO mm

Halogen/LED

see rating

see rating

Halogen / LED

Lamp base

Dimensions

Max wattage

Light source type

Lamp base GX53 Dimensions Ø74 X 30 mm

Light source shape Disc Max wattage 12W Light source type

GENERAL STANDARDS & CERTIFICATES - Ø4O

EU/UK CHINA CE-LVD EN 60598-1:2008+AII:2009 GB7000. 20I-2008 EN 60598-2-1:1989 GB7000. I-2007

WEEE Directive - 2012/19/EU

EN 62493:2010

GENERAL STANDARDS & CERTIFICATES - Ø25 & Ø16,5

EU/UK	CHINA
CE-LVD	ccc
EN 60598-1:2015	GB7000. 20I-2008
EN 60598-2-1:1989	GB7000. I-2007
EN 62493:2010	

MUUTO